Journal of MOLECULAR BIOLOGY

Editors in Chief
J. C. KENDREW S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
A. R. Fersht
I. Herskowitz
R. Laskey
V. Luzzati
J. H. Miller
M. F. Moody

Volume 192
5 November to 20 December 1986

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1986, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 192

Number 1, 5 November 1986

Mori, H., Kondo, A., Ohshima, A., Ogura, T. and Hiraga, S., Structure and Function of the F Plasmid Genes Essential for Partitioning 1

Abremski, K., Frommer, B. and Hoess, R. H., Linking-number Changes in the DNA Substrate During Cre-mediated *loxP* Site-specific Recombination. 17

Nelson, H. C. M. and Sauer, R. T., Interaction of Mutant λ Repressors with Operator and Non-operator DNA 27

Gimble, F. S. and Sauer, R. T., λ Repressor Inactivation: Properties of Purified *ind*⁻ Proteins in the Autodigestion and RecA-mediated Cleavage Reactions . . . 39

Winey, M., Mendenhall, M. D., Cummins, C. M. and Culbertson, M. R., Splicing of a Yeast Proline tRNA Containing a Novel Suppressor Mutation in the Anticodon Stem. 49

Jackson, D. A. & Cook, P. R., A Cell-cycle-dependent DNA Polymerase Activity that Replicates Intact DNA in Chromatin 65

Jackson, D. A. and Cook, P. R., Different Populations of DNA Polymerase α in HeLa Cells 77

Chantler, P. D. and Tao, T., Interhead Fluorescence Energy Transfer between Probes Attached to Translationally Equivalent Sites on the Regulatory Light Chains of Scallop Myosin 87

Stern, S., Wilson, R. C. and Noller, H. F., Localization of the Binding Site for Protein S4 on 16 S Ribosomal RNA by Chemical and Enzymatic Probing and Primer Extension . 101

Phillips, G. N., Jr, Fillers, J. P. and Cohen, C., Tropomyosin Crystal Structure and Muscle Regulation. 111

Appendix: Phillips, G. N., Jr, Construction of an Atomic Model for Tropomyosin and Implications for Interactions with Actin 128

Kuriyan, J., Wilz, S., Karplus, M. and Petsko, G. A., X-ray Structure and Refinement of Carbon-monoxy (Fe II)-myoglobin at 1·5 Å Resolution 133

Letters to the Editor

Zaccai, G., Bunick, G. J. and Eisenberg, H., Denaturation of a Halophilic Enzyme Monitored by Small-angle Neutron Scattering. 155

Abdel-Meguid, S. S., Smith, W. W., Violand, B. N. and Bentle, L. A., Crystallization of Methionyl Porcine Somatotropin, a Genetically Engineered Variant of Porcine Growth Hormone 159

Yonath, A., Saper, M. A., Frolow, F., Makowski, I. and Wittmann, H. G., Characterization of Single Crystals of the Large Ribosomal Particles from a Mutant of *Bacillus stearothermophilus* 161

Number 2, 20 November 1986

Burns, D. M. and Beacham, I. R., Identification and Sequence Analysis of a Silent Gene (*ush*A°) in *Salmonella typhimurium* 163

Weston, K. and Barrell, B. G., Sequence of the Short Unique Region, Short Repeats, and Part of the Long Repeats of Human Cytomegalovirus 177

Novick, R. P., Edelman, I. and Lofdahl, S., Small *Staphylococcus aureus* Plasmids are Transduced as Linear Multimers that are Formed and Resolved by Replicative Processes 209

Nomiyama, H., Obaru, K., Jinno, Y., Matsuda, I., Shimada, K. and Miyata, T., Amplification of Human Arginosuccinate Synthetase Pseudogenes 221

Yarus, M., Cline, S. W., Wier, P., Breeden, L. and Thompson, R. C., Actions of the Anticodon Arm in Translation on the Phenotypes of RNA Mutants 235

Cannistraro, V. J., Subbarao, M. N. and Kennell, D., Specific Endonucleolytic Cleavage Sites for Decay of *Escherichia coli* mRNA 257

Pal, S. K., Mason, R. J. and Chattoraj, D. K., P1 Plasmid Replication. Role of Initiator Titration in Copy Number Control 275

von Heijne, G., Net N–C Charge Imbalance May be Important for Signal Sequence Function in Bacteria 287

Hoppe, W., Oettl, H. and Tietz, H. R., Negatively Stained 50 S Ribosomal Subunits of *Escherichia coli* 291

Shibayama, N., Morimoto, H. and Miyazaki, G., Oxygen Equilibrium Study and Light Absorption Spectra of Ni(II)–Fe(II) Hybrid Hemoglobins 323

Shibayama, N., Morimoto, H. and Kitagawa, T., Properties of Chemically Modified Ni(II)–Fe(II) Hybrid Hemoglobins. Ni(II) Protoporphyrin IX as a Model for a Permanent Deoxy-heme 331

Quinlan, R. A., Hatzfeld, M., Franke, W. W., Lustig, A., Schulthess, T. and Engel, J., Characterization of Dimer Subunits of Intermediate Filament Proteins . . . 337

Robertson, J. M., Paulsen, H. and Wintermeyer, W., Pre-steady-state Kinetics of Ribosomal Translocation 351

Guss, J. M., Harrowell, P. R., Murata, M., Norris, V. A. and Freeman, H. C., Crystal Structure Analyses of Reduced (Cu^{I}) Poplar Plastocyanin at Six pH Values . . 361

van de Ven, F. J. M. and Hilbers, C. W., Residue-specific Assignments of Resonances in the ^{1}H Nuclear Magnetic Resonance Spectrum of Ribosomal Protein E-L30 by Systematic Application of Two-dimensional Fourier Transform Nuclear Magnetic Resonance Methods 389

van de Ven, F. J. M. and Hilbers, C. W., Sequential Resonance Assignments as a Basis for the Determination of a Three-dimensional Structure of Protein E-L30 of *Escherichia coli* 419

Tilton, R. F., Jr, Singh, U. C., Weiner, S. J., Connolly, M. L., Kuntz, I. D., Jr, Kollman, P. A., Max, N. and Case, D. A., Computational Studies of the Interaction of Myoglobin and Xenon 443

Number 3, 5 December 1986

Wernke, S. M. and Lingrel, J. B., Nucleotide Sequence of the Goat Embryonic α Globin Gene (ζ) and Linkage and Evolutionary Analysis of the Complete α Globin Cluster . 457

Kuge, S., Saito, I. and Nomoto, A., Primary Structure of Poliovirus Defective-interfering Particle Genomes and Possible Generation Mechanisms of the Particles . 473

Achten, S. and Doerfler, W., Characterization of a Member of the Highly Repeated Long Interspersed Rat DNA Family with Long Open Reading Frames. 489

Brown, G. G., Gadaleta, G., Pepe, G., Saccone, C. and Sbisà, E., Structural Conservation and Variation in the D-loop-containing Region of Vertebrate Mitochondrial DNA 503

Bauer, C. E., Hesse, S. D., Gumport, R. I. and Gardner, J. F., Mutational Analysis of Integrase Arm-type Binding Sites of Bacteriophage Lambda. Integration and Excision Involve Distinct Interactions of Integrase With Arm-type Sites 513

Womble, D. D. and Rownd, R. H., Regulation of IncFII Plasmid DNA Replication. A Quantitative Model for Control of Plasmid NR1 Replication in the Bacterial cell Division Cycle 529

Makino, K., Shinagawa, H., Amemura, M. and Nakata, A., Nucleotide Sequence of the *phoR* Gene, a Regulatory Gene for the Phosphate Regulon of *Escherichia coli* . . 549

Rather, P. N., Hay, R. E., Ray, G. L., Haldenwang, W. G. and Moran, C. P., Jr, Nucleotide Sequences that Define Promoters that are Used by *Bacillus subtilis* Sigma-29 RNA Polymerase 557

Shaw, P. and Schibler, U., Structure and Expression of the Parotid Secretory Protein Gene of Mouse 567

Fairall, L., Rhodes, D. and Klug, A., Mapping of the Sites of Protection on a 5 S RNA Gene by the *Xenopus* Transcription Factor IIIA. A Model for the Interaction . . 577

Åqvist, J., Sandblom, P., Jones, T. A., Newcomer, M. E., van Gunsteren, W. F. and Tapia, O., Molecular Dynamics Simulations of the Holo and Apo Forms of Retinol Binding Protein. Structural and Dynamical Changes Induced by Retinol Removal . 593

Oefner, C. and Suck, D., Crystallographic Refinement and Structure of DNase I at 2 Å Resolution 605

Mirau, P. A., Kearns, D. R., McIntosh, L. P. and Jovin, T. M., ^{1}H Nuclear Magnetic Resonance Study of the Dynamic Properties of the *B* and *Z*-Forms of Poly[d(A-br^{5}C)·d(G-T)] 633

Zivanovic, Y., Goulet, I. and Prunell, A., Properties of Supercoiled DNA in Gel Electrophoresis. The V-like Dependence of Mobility on Topological Constraint. DNA–Matrix Interactions 645

Letters to the Editor

Walker, M. and Trinick, J., Electron Microscope Study of the Effect of Temperature on the Length of the Tail of the Myosin Molecule 661

Breimer, L. H., Nalbantoglu, J. and Meuth, M., Structure and Sequence of Mutations Induced by Ionizing Radiation at Selectable Loci in Chinese Hamster Ovary Cells 669

Thomas, D. H., Rice, D. W. and Fitton, J. E., Crystallization of the Delta Toxin of *Staphylococcus aureus* 675

Winoto, A., Chung, S., Abraham, J. and Echols, H., Directional Control of Site-specific Recombination by Bacteriophage λ. Evidence that a Binding Site for Int Protein far from the Crossover Point is Required for Integrative but not Excisive Recombination 677

Number 4, 20 December 1986

Liebeschuetz, J. and Ritchie, D. A., Phage T1-mediated Transduction of a Plasmid Containing the T1 *pac* Site 681

Sawada, I. and Schmid, C. W., Primate Evolution of the α-Globin Gene Cluster and Its *Alu*-like Repeats 693

Tardieu, A., Laporte, D., Licinio, P., Krop, B. and Delaye, M., Calf Lens α-Crystallin Quaternary Structure. A Three-layer Tetrahedral Model 711

Weiss, W. A. and Friedberg, E. C., Normal Yeast $tRNA^{Gln}_{CAG}$ can Suppress Amber Codons and is Encoded by an Essential Gene 725

Soares, M. B., Turken, A., Ishii, D., Mills, L., Episkopou, V., Cotter, S., Zeitlin, S. and Efstratiadis, A., Rat Insulin-like Growth Factor II Gene. A Single Gene with Two Promoters Expressing a Multitranscript Family 737

Lacks, S. A., Lopez, P., Greenberg, B. and Espinosa, M., Identification and Analysis of Genes for Tetracycline Resistance and Replication Functions in the Broad-host-range Plasmid pLS1 753

Butler, J. S., Springer, M., Dondon, J., Graffe, M. and Grunberg-Manago, M., *Escherichia coli* Protein Synthesis Initiation Factor IF3 Controls Its Own Gene Expression at the Translational Level *in Vivo* 767

Krebs, M. P. and Reznikoff, W. S., Transcriptional and Translational Initiation Sites of IS*50*. Control of Transposase and Inhibitor Expression 781

Dale, E. C., Christie, G. E. and Calendar, R., Organization and Expression of the Satellite Bacteriophage P4 Late Gene Cluster 793

Sinha, P., Chang, V. and Tye, B.-K., A Mutant that Affects the Function of Autonomously Replicating Sequences in Yeast 805

Pruliere, G., Fuller, S. D., Weeds, A. G., d'Albis, A. and der Terrossian, E., Pig Platelet Tropomyosin: Interactions with the Other Thin-filament Proteins . . . 815

Stewart, M. and Kensler, R. W., Arrangement of Myosin Heads in Relaxed Thick Filaments from Frog Skeletal Muscle 831

Carazo, J. M., Donate, L. E., Herranz, L., Secilla, J. P. and Carrascosa, J. L., Three-dimensional Reconstruction of the Connector of Bacteriophage ϕ29 at 1·8 nm Resolution 853

Kline, A. D. and Wüthrich, K., Complete Sequence-specific ^{1}H Nuclear Magnetic Resonance Assignments for the α-Amylase Polypeptide Inhibitor Tendamistat from *Streptomyces tendae* 869

Cruse, W. B. T., Salisbury, S. A., Brown, T., Cosstick, R., Eckstein, F. and Kennard, O., Chiral Phosphorothioate Analogues of *B*-DNA. The Crystal Structure of Rp-d|Gp(S)CpGp(S)CpGp(S)C| 891

Calladine, C. R. and Drew, H. R., Principles of Sequence-dependent Flexure of DNA . 907

Letter to the Editor

Singhofer-Wowra, M., Little, M., Clayton, L., Dawson, P. and Gull, K., Amino Acid Sequence Data of α-Tubulin from Myxamoebae of *Physarum polycephalum* . 919

Index to Volume 192

Abdel-Meguid, S. S., Smith, W. W., Voiland, B. N. & Bentle, L. A., Crystallization of methionyl porcine somatotropin, a genetically engineered variant of porcine growth hormone, 159

Abraham, J. (see also Winoto, A.), 677

Abremski, K., Frommer, B. & Hoess, R. H., Linking-number changes in the DNA substrate during Cre-mediated *loxP* site-specific recombination, 17

Achten, S. & Doerfler, W., Characterization of a member of the highly repeated long interspersed rat DNA family with long open reading frames, 489

Actin interaction with tropomyosin; implications of atomic model construction, 128

Alu-like repeats, primate evolution of the α-globin gene cluster, 693

Amber codons are suppressed by normal yeast $tRNA^{Gln}_{CAG}$, 725

Amemura, M. (see also Makino, K.), 549

Amino acid sequence data of α-tubulin from myxoamoebae of *Physarum polycephalum*, 919

Amplification of human arginosuccinate synthetase pseudogenes, 221

α-Amylase polypeptide inhibitor Tendamistat from *Streptomyces tendae*, complete sequence-specific ^{1}H n.m.r. assignments, 869

Anticodon arm, actions in translation on the phenotypes of RNA mutants, 235

Apo and holo forms of retinol binding protein, molecular dynamics simulations, 593

Åqvist, J., Sandblom, P., Jones, T. A., Newcomer, M. E., van Gunsteren, W. F. & Tapia, O., Molecular dynamics simulations of the holo and apo forms of retinol binding protein. Structural and dynamical changes induced by retinol removal, 593

Arginosuccinate synthetase pseudogenes, human; amplification, 221

Arm-type binding sites, integrase, of bacteriophage lambda; mutational analysis, 513

Autodigestion and RecA-mediated cleavage reactions, and properties of purified *ind*$^-$ proteins; λ repressor inactivation, 39

Autonomously replicating sequences in yeast, a mutant that affects the function, 805

B and *Z*-forms of poly[d(A-br^{5}C)·d(G-T)], ^{1}H n.m.r. study of the dynamic properties, 633

Bacillus stearothermophilus, characterization of single crystals of the large ribosomal particles from a mutant, 161

Bacillus subtilis sigma 29 RNA polymerase, nucleotide sequences that define promoters, 557

Bacteria, net N–C charge imbalance may be important for signal sequence function, 287

Bacterial cell division cycle, a quantitative model for control of plasmid NR1 replication, 529

Bacteriophage λ, and directional control of site-specific recombination; evidence that a binding site for Int protein far from the crossover point is required for integrative but not excisive recombination, 677

Bacteriophage lambda, mutational analysis of integrase arm-type binding sites, 513

Bacteriophage P4, satellite, late gene cluster, organization and expression, 793

Bacteriophage φ29, three-dimensional reconstruction of the connector at 1·8 nm resolution, 853

Barrell, B. G. (see also Weston, K.), 177

Bauer, C. E., Hesse, S. D., Gumport, R. I. & Gardner, J. F., Mutational analysis of integrase arm-type binding sites of bacteriophage lambda. Integration and excision involve distinct interactions of integrase with arm-type sites, 513

Beacham, I. R. (see also Burns, D. M.), 163

Bentle, L. A. (see also Abdel-Meguid, S. S.), 159

Binding site localization for protein S4 on 16 S ribosomal RNA by chemical and enzymatic probing and primer extension, 101

Binding sites, arm-type, integrase, of bacteriophage lambda; mutational analysis, 513

Breeden, L. (see also Yarus, M.), 235

Breimer, L. H., Nalbantoglu, J. & Meuth, M., Structure and sequence of mutations induced by ionizing radiation at selectable loci in Chinese hamster ovary cells, 669

Broad-host-range plasmid pLS1, identification and analysis of genes for tetracycline resistance and replication functions, 753

Brown, G. G., Gadaleta, G., Pepe, G., Saccone, C. & Sbisà, E., Structural conservation and variation in the D-loop-containing region of vertebrate mitochondrial DNA, 503

Brown, T. (see also Cruse, W. B. T.), 891

Bunick, G. J. (see also Zaccai, G.), 155

Burns, D. M. & Beacham, I. R., Identification and sequence analysis of a silent gene (*ush*A°) in *Salmonella typhimurium*, 163

Butler, J. S., Springer, M., Dondon, J., Graffe, M. & Grunberg-Manago, M., *Escherichia coli* protein synthesis initiation factor IF3 controls its own gene expression at the translational level *in vivo*, 767

Calendar, R. (see also Dale, E. C.), 793

Calf lens α-crystallin quarternary structure; a three-layer tetrahedral model, 711

Calladine, C. R. & Drew, H. R., Principles of sequence-dependent flexure of DNA, 907

Cannistraro, V. J., Subbarao, M. N. & Kennell, D., Specific endonucleolytic cleavage sites for decay of *Escherichia coli* mRNA, 257

Carazo, J. M., Donate, L. E., Herranz, L., Secilla, J. P. & Carrascosa, J. L., Three-dimensional reconstruction of the connector of bacteriophage φ29 at 1·8 nm resolution, 853

Carbon-monoxy (FeII)-myoglobin, X-ray structure and refinement at 1·5 Å resolution, 133

Carrascosa, J. L. (see also Carazo, J. P.), 853

Case, D. A. (see also Tilton, R. F., Jr), 443

Cell-cycle-dependent DNA polymerase activity that replicates intact DNA in chromatin, 65

Cell division cycle, bacterial, a quantitative model for control of plasmid NR1 replication, 529

Chang, V. (see also Sinha, P.), 805

Chantler, P. D. & Tao, T., Interhead fluorescence energy transfer between probes attached to translationally equivalent sites on the regulatory light chains of scallop myosin, 87

Charge imbalance, net N–C, may be important for signal sequence function in bacteria, 287

Chattoraj, D. K. (see also Pal, S. K.), 275

Chemically modified Ni(II)–Fe(II) hybrid hemoglobins; Ni(II) protoporphyrin IX as a model for a permanent deoxy-heme, 331

Chinese hamster ovary cells, structure and sequence of mutations induced by ionizing radiation at selectable loci, 669

Chiral phosphorothioate analogues of *B*-DNA. The crystal structure of Rp-d[Gp(S)CpGp(S)CpGp(S)C], 891

Christie, G. E. (see also Dale, E. C.), 793

Chromatin, a cell-cycle-dependent DNA polymerase activity that replicates intact DNA, 65

Chung, S. (see also Winoto, A.), 677

Clayton, L. (see also Singhofer-Wowra, M.), 919

Cline, S. W. (see also Yarus, M.), 235

Cohen, C. (see also Phillips, G. N., Jr), 111

Connector of bacteriophage φ29, three-dimensional reconstruction at 1·8 nm resolution, 853

Connolly, M. L. (see also Tilton, R. F., Jr), 443

Control, directional, of site-specific recombination by bacteriophage λ. Evidence that a binding site for Int protein far from the crossover point is required for integrative but not excisive recombination, 677

Cook, P. R. (see also Jackson, D. A.), 65, 77

Copy number control, role of initiator titration; P1 plasmid replication, 275

Cosstick, R. (see also Cruse, W. B. T.), 891
Cotter, S. (see also Soares, M. B.), 737
Cre-mediated *loxP* site-specific recombination, and linking-number changes in the DNA substrate, 17
Cruse, W. B. T., Salisbury, S. A., Brown, T., Cosstick, R., Eckstein, F. & Kennard, O., Chiral phosphorothioate analogues of *B*-DNA. The crystal structure of Rp-d|Gp(S)CpGp(S)CpGp(S)C|, 891
Crystal structure analyses of reduced (Cu^{I}) poplar plastocyanin at six pH values, 361
Crystal structure of Rp-d|Gp(S)CpGp(S)CpGp(S)C|; chiral phosphorothioate analogues of *B*-DNA, 891
Crystal structure of tropomyosin, and muscle regulation, 111
Crystals, single, of the large ribosomal particles from a mutant of *Bacillus stearothermophilus*; characterization, 161
α-Crystallin, calf lens, quaternary structure; a three-layer tetrahedral model, 711
Crystallization of the delta toxins of *Staphylococcus aureus*, 675
Crystallization of methionyl porcine somatotropin, a genetically engineered variant of porcine growth hormone, 159
Crystallographic refinement and structure of DNase I at 2 Å resolution, 605
Cu^{I} poplar plastocyanin, crystal structure analyses at six pH values, 361
Culbertson, M. R. (see also Winey, M.), 49
Cummins, C. M. (see also Winey, M.), 49
Cytomegalovirus, human, sequence of the short unique region, short repeats, and part of the long repeats, 177

D'Albis, A. (see also Pruliere, G.), 815
Dale, E. C., Christie, G. E. & Calendar, R., Organization and expression of the satellite bacteriophage P4 late gene cluster, 793
Dawson, P. (see also Singhofer-Wowra, M.), 919
Decay of *Escherichia coli* mRNA, and specific endonucleolytic cleavage sites, 257
Defective-interfering particle genomes, poliovirus, primary structure; possible generation mechanisms of the particles, 473
Delaye, M. (see also Tardieu, A.), 711
Delta toxins of *Staphylococcus aureus*, crystallization, 675
Denaturation of a halophilic enzyme monitored by small-angle neutron scattering, 155
DNA, intact, in chromatin, is replicated by a cell-cycle-dependent DNA polymerase activity, 65
DNA, mitochondrial, vertebrate, structural conservation and variation in the D-loop-containing region, 503
DNA, operator and non-operator, and interaction with mutant λ repressors, 27
DNA, plasmid, IncFII, replication regulation; a quantitative model for control of plasmid NR1 replication in the bacterial cell division cycle, 529
DNA polymerase activity, cell-cycle-dependent, that replicates intact DNA in chromatin, 65
DNA polymerase α, different populations in HeLa cells, 77
DNA, principles of sequence-dependent flexure, 907
DNA, rat: characterization of a member of the highly repeated long interspersed family with long open reading frames, 489
DNA substrate linking-number changes during Cre-mediated *loxP* site-specific recombination, 17
DNA, supercoiled, properties in gel electrophoresis; the V-like dependence of mobility on topological constraint; DNA–matrix interactions, 645
B-DNA, chiral phosphorothioate analogues; the crystal structure of Rp-d|Gp(S)CpGp(S)CpGp(S)C|, 891
DNase I, crystallographic refinement and structure at 2 Å resolution, 605
Der Terrossian, E. (see also Pruliere, G.), 815
Dimer subunits of intermediate filament proteins, characterization, 337
D-loop-containing region of vertebrate mitochondrial DNA, structural conservation and variation, 503
Doerfler, W. (see also Achten, S.), 489
Donate, L. E. (see also Carazo, J. M.), 853
Dondon, J. (see also Butler, J. S.), 767
Drew, H. R. (see also Calladine, C. R.), 907
Dynamic properties of the *B* and *Z*-forms of poly[d(A-br^{5}C)·d(G-T)], ^{1}H n.m.r. study, 633
Dynamics, molecular, simulations of the holo and apo forms of retinol binding protein. Structural and dynamical changes induced by retinol removal, 593

Echols, H. (see also Winoto, A.), 677
Eckstein, F. (see also Cruse, W. B. T.), 891
Edelman, I. (see also Novick, R. P.), 209
Efstratiadis, A. (see also Soares, M. B.), 737
Eisenberg, H. (see also Zaccai, G.), 155
E-L30 ribosomal protein, residue-specific assignments of resonances in the ^{1}H n.m.r. spectrum by systematic application of two-dimensional Fourier transform n.m.r. methods, 389
Electron microscope study of the effect of temperature on the length of the tail of the myosin molecule, 661
Embryonic goat α globin gene (ζ), nucleotide sequence, and linkage and evolutionary analysis of the complete α globin cluster, 457
Endonucleolytic cleavage sites, specific, for decay of *Escherichia coli* mRNA, 257
Energy transfer, interhead, between probes attached to translationally equivalent sites on the regulatory light chains of scallop myosin, 87
Engel, J. (see also Quinlan, R. A.), 337
Enzyme, halophilic, denaturation monitored by small-angle neutron scattering, 155
Episkopou, V. (see also Soares, M. B.), 737
Escherichia coli mRNA, specific endonucleolytic cleavage sites for decay, 257
Escherichia coli negatively stained 50 S ribosomal subunits, 291
Escherichia coli, nucleotide sequence of the *phoR* gene, a regulatory gene for the phosphate regulon, 549
Escherichia coli protein synthesis initiation factor IF3 controls its own gene expression at the translational level *in vivo*, 767
Escherichia coli, sequential resonance assignments as a basis for the determination of a three-dimensional structure of protein E-L30, 419
Espinosa, M. (see also Lacks, S. A.), 753
Evolution, primate, of the α-globin gene cluster and its *Alu*-like repeats, 693
Evolutionary analysis of the complete α globin cluster, 457

F plasmid genes essential for partitioning; structure and function, 1
Fairall, L., Rhodes, D. & Klug, A., Mapping of the sites of protection on a 5 S RNA gene by the *Xenopus* transcription factor IIIA. A model for the interaction, 577
(FeII)-myoglobin, carbon-monoxy, X-ray structure and refinement at 1·5 Å resolution, 133
Fillers, J. P. (see also Phillips, G. N., Jr), 111
Fitton, J. E. (see also Thomas, D. H.), 675
Flexure, sequence-dependent, of DNA; principles, 907
Franke, W. W. (see also Quinlan, R. A.), 337
Freeman, H. C. (see also Guss, J. M.), 361
Friedberg, E. C. (see also Weiss, W. A.), 725
Frog skeletal muscle, arrangement of myosin heads in relaxed thick filaments, 831
Frolow, F. (see also Yonath, A.), 161
Frommer, B. (see also Abremski, K.), 17
Fuller, S. D. (see also Pruliere, G.), 815

Gadaleta, G. (see also Brown, G. G.), 503
Gardner, J. F. (see also Bauer, C. E.), 513
Gel electrophoresis, properties of supercoiled DNA; the V-like dependence of mobility on topological constraint: DNA–matrix interactions, 645
Gene cluster, α-globin, and its *Alu*-like repeats; primate evolution, 693
Gene cluster, late, satellite P4, organization and expression, 793
Gene, essential, encodes normal yeast $tRNA^{Gln}_{CAG}$, 725
Gene expression at the translational level *in vivo* is controlled by *Escherichia coli* protein synthesis initiation factor IF3, 767
Gene, globin, α, embryonic, goat, nucleotide sequence; linkage and evolutionary analysis of the complete α globin cluster, 457

Gene, parotid secretory protein, of mouse, structure and expression, 567
Gene, *phoR*, a regulatory gene for the phosphate regulon of *Escherichia coli*; nucleotide sequence, 549
Gene, rat insulin-like growth factor II; a single gene with two promoters expressing a multitranscript family, 737
Gene, 5 S RNA, mapping of the sites of protection by the *Xenopus* transcription factor IIIA. A model for the interaction, 577
Gene, silent (*ushA*°), in *Salmonella typhimurium*, identification and sequence analysis, 163
Genes, F plasmid, essential for partitioning; structure and function, 1
Genes for tetracycline resistance and replication functions in the broad-host-range plasmid pLS1; identification and analysis, 753
Genomes, defective-interfering particle, poliovirus, primary structure; possible generation mechanisms of the particles, 473
Gimble, F. S. & Sauer, R. T., Lambda repressor inactivation: properties of purified *ind*⁻ proteins in the autodigestion and RecA-mediated cleavage reactions, 39
Globin gene, α, embryonic, goat, nucleotide sequence; linkage and evolutionary analysis of the complete α globin cluster, 457
α-Globin gene cluster and its *Alu*-like repeats, primate evolution, 693
Goat embryonic α globin gene (ζ), nucleotide sequence, and linkage and evolutionary analysis of the complete α globin cluster, 457
Goulet, I. (see also Zivanovic, Y.), 645
Graffe, M. (see also Butler, J. S.), 767
Greenberg, B. (see also Lacks, S. A.), 753
Growth factor II, insulin-like, gene, rat; a single gene with two promoters expressing a multitranscript family, 737
Growth hormone, porcine; crystallization of methionyl porcine somatotropin, a genetically engineered variant, 159
Grunberg-Manago, M. (see also Butler, J. S.), 767
Gull, K. (see also Singhofer-Wowra, M.), 919
Gumport, R. I. (see also Bauer, C. E.), 513
Guss, J. M., Harrowell, P. R., Murata, M., Norris, V. A. & Freeman, H. C., Crystal structure analyses of reduced (Cu^1) poplar plastocyanin at six pH values, 361

Haldenwang, W. G. (see also Rather, P. N.), 557
Halophilic enzyme denaturation monitored by small-angle neutron scattering, 155
Harrowell, P. R. (see also Guss, J. M.), 361
Hatzfeld, M. (see also Quinlan, R. A.), 337
Hay, R. E. (see also Rather, P. N.), 557
HeLa cells, different populations of DNA polymerase α, 77
Hemoglobins, hybrid, Ni(II)–Fe(II), chemically modified; Ni(II) protoporphyrin IX as a model for a permanent deoxy-heme, 331
Hemoglobins, hybrid, Ni(II)–Fe(II), oxygen equilibrium study and light absorption spectra, 323
Herranz, L. (see also Carazo, J. M.), 853
Hesse, S. D. (see also Bauer, C. E.), 513
Hilbers, C. W. (see also Van De Ven, F. J. M.), 389, 419
Hiraga, S. (see also Mori, H.), 1
Hoess, R. H. (see also Abremski, K.), 17
Holo and apo forms of retinol binding protein, molecular dynamics simulations, 593
Hoppe, W., Oettl, H. & Tietz, H. R., Negatively stained 50 S ribosomal subunits of *Escherichia coli*, 291
Human arginosuccinate synthetase pseudogenes, amplification, 221
Human cytomegalovirus, sequence of the short unique region, short repeats, and part of the long repeats, 177
^1H n.m.r. assignments, sequence-specific, complete, for the α-amylase polypeptide inhibitor Tendamistat from *Streptomyces tendae*, 869
^1H nuclear magnetic resonance spectrum of ribosomal protein E-L30, residue-specific assignments of resonances by application of two-dimensional Fourier transform n.m.r. methods, 389
^1H nuclear magnetic resonance study of the dynamic properties of the *B* and *Z*-forms of poly[d(A-br^{5}C)·d(G-T)], 633

IncFII plasmid DNA replication regulation; a quantitative model for control of plasmid NR1 replication in the bacterial cell division cycle, 529
ind⁻ proteins in the autodigestion and RecA-mediated cleavage reactions; λ repressor inactivation, 39
Initiation factor IF3, *Escherichia coli*, controls its own gene expression at the translational level *in vivo*, 767
Initiator control, role in copy number control; P1 plasmid replication, 275
Insulin-like growth factor II gene, rat; a single gene with two promoters expressing a multitranscript family, 737
Int protein, evidence that a binding site far from the crossover point is required for integrative but not excisive recombination, 677
Integrase arm-type binding sites of bacteriophage lambda, mutational analysis, 513
Interhead fluorescence energy transfer between probes attached to translationally equivalent sites on the regulatory light chains of scallop myosin, 87
Intermediate filament proteins, characterization of dimer subunits, 337
Ionizing radiation-induced mutations at selectable loci in Chinese hamster ovary cells; structure and sequence, 669
Ishii, D. (see also Soares, M. B.), 737
IS*50* transcriptional and translational initiation sites; control of transposase and inhibitor expression, 781

Jackson, D. A. & Cook, P. R., A cell-cycle-dependent DNA polymerase activity that replicates intact DNA in chromatin, 65
Jackson, D. A. & Cook, P. R., Different populations of DNA polymerase α in HeLa cells, 77
Jinno, Y. (see also Nomiyama, H.), 221
Jones, T. A. (see also Åqvist, J.), 593
Jovin, T. M. (see also Mirau, P. A.), 633

Karplus, M. (see also Kuriyan, J.), 133
Kearns, D. R. (see also Mirau, P. A), 633
Kennard, O. (see also Cruse, W. B. T.), 891
Kennell, D. (see also Cannistraro, V. J.), 257
Kensler, R. W. (see also Stewart, M.), 831
Kinetics, pre-steady-state of ribosomal translocation, 351
Kitagawa, T. (see also Shibayama, N.), 331
Kline, A. D. & Wüthrich, K., Complete sequence-specific ^1H nuclear magnetic resonance assignments for the α-amylase polypeptide inhibitor Tendamistat from *Streptomyces tendae*, 869
Klug, A. (see also Fairall, L.), 577
Kollman, P. A. (see also Tilton, R. F., Jr), 443
Kondo, A. (see also Mori, H.), 1
Krebs, M. P. & Reznikoff, W. S., Transcriptional and translational initiation sites of IS*50*. Control of transposase and inhibitor expression, 781
Krop, B. (see also Tardieu, A.), 711
Kuge, S., Saito, I. & Nomoto, A., Primary structure of poliovirus defective-interfering particle genomes and possible generation mechanisms of the particles, 473
Kuntz, I. D., Jr (see also Tilton, R. F., Jr), 443
Kuriyan, J., Wilz, S., Karplus, M. & Petsko, G. A., X-ray structure and refinement of carbon-monoxy (FeII)-myoglobin at 1·5 Å resolution, 133

Lacks, S. A., Lopez, P., Greenberg, B. & Espinosa, M., Identification and analysis of genes for tetracycline resistance and replication functions in the broad-host-range plasmid pLS1, 753
λ (see also Bacteriophage), 513, 677
λ repressor inactivation: properties of purified *ind*⁻ proteins in the autodigestion and RecA-mediated cleavage reactions, 39
Lambda repressors, mutant, interaction with operator and non-operator DNA, 27
Laporte, D. (see also Tardieu, A.), 711
Lens, calf, α-crystallin quaternary structure; a three-layer tetrahedral model, 711

Licinio, P. (see also Tardieu, A.), 711
Liebeschuetz, J. & Ritchie, D. A., Phage T1-mediated transduction of a plasmid containing the T1 *pac* site, 681
Light absorption spectra of Ni(II)–Fe(II) hybrid hemoglobins, 323
Lingrel, J. B. (see also Wernke, S. M.), 457
Linkage and evolutionary analysis of the complete α globin cluster, 457
Linking-number changes in the DNA substrate during Cre-mediated *loxP* site-specific recombination, 17
Little, M. (see also Singhofer-Wowra, M.), 919
Lofdahl, S. (see also Novick, R. P.), 209
Lopez, P. (see also Lacks, S. A.), 753
loxP site-specific recombination, Cre-mediated, and linking-number changes in the DNA substrate, 17
Lustig, A. (see also Quinlan, R. A.), 337

McIntosh, L. P. (see also Mirau, P. A.), 633
Makino, K., Shinagawa, H., Amemura, M. & Nakata, A., Nucleotide sequence of the *phoR* gene, a regulatory gene for the phosphate regulon of *Escherichia coli*, 549
Makowski, I. (see also Yonath, A.), 161
Mapping of the sites of protection on a 5 S RNA gene by the *Xenopus* transcription factor IIIA. A model for the interaction, 577
Mason, R. J. (see also Pal, S. K.), 275
Matsuda, I. (see also Nomiyama, H.), 221
Max, N. (see also Tilton, R. F., Jr), 443
Mendenhall, M. D. (see also Winey, M.), 49
Messenger RNA, *Escherichia coli*, specific endonucleolytic cleavage sites for decay, 257
Methionyl porcine somatotropin, a genetically engineered variant of porcine growth hormone; crystallization, 159
Meuth, M. (see also Breimer, L. H.), 669
Mills, L. (see also Soares, M. B.), 737
Mirau, P. A., Kearns, D. R., McIntosh, L. P. & Jovin, T. M., ^{1}H nuclear magnetic resonance study of the dynamic properties of the *B* and *Z*-forms of poly[d(A-br^{5}C)·d(G-T)], 633
Mitochondrial DNA, vertebrate, structural conservation and variation in the D-loop-containing region, 503
Miyata, T. (see also Nomiyama, H.), 221
Miyazaki, G. (see also Shibayama, N.), 323
Moran, C. P., Jr (see also Rather, P. N.), 557
Mori, H., Kondo, A., Ohshima, A., Ogura, T. & Hiraga, S., Structure and function of the F plasmid genes essential for partitioning, 1
Morimoto, H. (see also Shibayama, N.), 323, 331
Mouse, structure and expression of the parotid secretory protein gene, 567
Murata, M. (see also Guss, J. M.), 361
Muscle regulation, and tropomyosin crystal structure, 111
Muscle, skeletal, frog, arrangement of myosin heads in relaxed thick filaments, 831
Mutant that affects the function of autonomously replicating sequences in yeast, 805
Mutant of *Bacillus stearothermophilus*, characterization of single crystals of the large ribosomal particles, 161
Mutant λ repressors, interaction with operator and non-operator DNA, 27
Mutants, RNA, actions of the anticodon arm in translation on the phenotypes, 235
Mutation, suppressor, in the anticodon stem; splicing of a yeast proline tRNA, 49
Mutational analysis of integrase arm-type binding sites of bacteriophage lambda, 513
Mutations induced by ionizing radiation at selectable loci in Chinese hamster ovary cells; structure and sequence, 669
Myoglobin interaction with xenon, computational studies, 443
Myoglobin: X-ray structure and refinement of carbon-monoxy (FeII)-myoglobin at 1·5 Å resolution, 133
Myosin heads, arrangement in relaxed thick filaments from frog skeletal muscle, 831
Myosin molecule, electron microscope study of the effect of temperature on the length of the tail, 661
Myosin, scallop, interhead fluroescence energy transfer between probes attached to translationally equivalent sites on the regulatory light chains, 87
Myxamoebae of *Physarum polycephalum*, amino acid sequence data of α-tubulin, 919

Nakata, A. (see also Makino, K.), 549
Nalbantoglu, J. (see also Breimer, L. H.), 669
N–C net charge imbalance may be important for signal sequence function in bacteria, 287
Negatively stained 50 S ribosomal subunits of *Escherichia coli*, 291
Nelson, H. C. M. & Sauer, R. T., Interaction of mutant lambda repressors with operator and non-operator DNA, 27
Neutron scattering, small-angle, monitoring of denaturation of a halophilic enzyme, 155
Newcomer, M. E. (see also Åqvist, J.), 593
Ni(II)–Fe(II) hybrid hemoglobins, chemically modified; Ni(II) protoporphyrin IX as a model for a permanent deoxy-heme, 331
Ni(II)–Fe(II) hybrid hemoglobins, oxygen equilibrium study and light absorption spectra, 323
Noller, H. F. (see also Stern, S.), 101
Nomiyama, H., Obaru, K., Jinno, Y., Matsuda, I., Shimada, K. & Miyata, T., Amplification of human arginosuccinate synthetase pseudogenes, 221
Nomoto, A. (see also Kuge, S.), 473
Norris, V. A. (see also Guss, J. M.), 361
Novick, R. P., Edelman, I. & Lofdahl, S., Small *Staphylococcus aureus* plasmids are transduced as linear multimers that are formed and resolved by replicative processes, 209
Nucleotide sequence of the goat embryonic α globin gene (ζ) and linkage and evolutionary analysis of the complete α globin cluster, 457
Nucleotide sequence of the *phoR* gene, a regulatory gene for the phosphate regulon on *Escherichia coli*, 549
Nucleotide sequences that define promoters that are used by *Bacillus subtilis* sigma-29 RNA polymerase, 557

Obaru, K. (see also Nomiyama, H.), 221
Oefner, C. & Suck, D., Crystallographic refinement and structure of DNase I at 2 Å resolution, 605
Oettl, H. (see also Hoppe, W.), 291
Ogura, T. (see also Mori, H.), 1
Ohshima, A. (see also Mori, H.), 1
Operator and non-operator DNA, and interaction with mutant λ repressors, 27
Organization and expression of the satellite bacteriophage P4 late gene cluster, 793
Ovary cells, Chinese hamster, structure and sequence of mutations induced by ionizing radiation at selectable loci, 669
Oxygen equilibrium study and light absorption spectra of Ni(II)–Fe(II) hybrid hemoglobins, 323

P1 plasmid replication. Role of initiator titration in copy number control, 275
P4 (see also Bacteriophage), 793
pac-plasmid, phage T1-mediated transduction, 681
Pal, S. K., Mason, R. J. & Chattoraj, D. K., P1 plasmid replication. Role of initiator titration in copy number control, 275
Parotid secretory protein gene of mouse, structure and expression, 567
Partitioning: structure and function of the essential F plasmid genes, 1
Paulsen, H. (see also Robertson, J. M.), 351
Pepe, G. (see also Brown, G. G.), 503
Petsko, G. A. (see also Kuriyan, J.), 133
pH values, six, in crystal structure analyses of reduced (Cu^I) poplar plastocyanin, 361
φ29 (see also Bacteriophage), 853
Phage T1-mediated transduction of a plasmid containing the T1 *pac* site, 681
Phenotypes of RNA mutants, actions of the anticodon arm, 235
Phillips, G. N., Jr, Construction of an atomic model for

tropomyosin and implications for interactions with actin (*Appendix* to Phillips, G. N., Jr *et al.*, 111), 128
Phillips, G. N., Jr, Fillers, J. P. & Cohen, C., Tropomyosin crystal structure and muscle regulation, 111
phoR gene, a regulatory gene for the phosphate regulon of *Escherichia coli*; nucleotide sequence, 549
Phosphate regulon of *Escherichia coli*, nucleotide sequence of the *phoR* gene, 549
Phosphorothioate analogues of *B*-DNA. The crystal structure of Rp-d|Gp(S)CpGp(S)CpGp(S)C|, 891
Physarum polycephalum, amino acid sequence data of α-tubulin from myxamoebae, 919
Pig platelet tropomyosin: interactions with the other thin-filament proteins, 815
Plasmid F genes essential for partitioning; structure and function, 1
Plasmid NR1 replication control in the bacterial cell division cycle, a quantitative model, 529
Plasmid P1 replication; role of initiator titration in copy number control, 275
Plasmid pLS1, broad-host-range, identification and analysis of genes for tetracycline resistance and replication functions, 753
Plasmid containing the T1 *pac* site, phage T1-mediated transduction, 681
Plasmids, small, *Staphylococcus aureus*, are transduced as linear multimers that are formed and resolved by replicative processes, 209
Plastocyanin, poplar, Cu^{I}, crystal structure analyses at six pH values, 361
Platelet tropomyosin, pig, interaction with the other thin-filament proteins, 815
pLS1 plasmid, identification and analysis of genes for tetracycline resistance and replication functions, 753
Poliovirus defective-interfering particle genomes, primary structure; possible generation mechanisms of the particles, 473
Poly[d(A-br^{5}C)·d(G-T)], ^{1}H n.m.r. study of the dynamic properties of the *B* and *Z*-forms, 633
Polymerase α, DNA, different populations in HeLa cells, 77
Poplar plastocyanin, Cu^{I}, crystal structure analyses at six pH values, 361
Populations, different, of DNA polymerase α in HeLa cells, 77
Porcine growth hormone: crystallization of methionyl porcine somatotropin, a genetically engineered variant, 159
Primate evolution of the α-globin gene cluster and its *Alu*-like repeats, 693
Proline tRNA, yeast, containing a novel suppressor mutation in the anticodon stem; splicing, 49
Promoter recognition in *Bacillus subtilis*, 557
Protection site mapping on a 5 S RNA gene by the *Xenopus* transcription factor IIIA. A model for the interaction, 577
Protein E-L30 of *Escherichia coli*, sequential resonance assignments as a basis for the determination of a three-dimensional structure, 419
Protein E-L30, ribosomal, residue-specific assignments of resonances in the ^{1}H n.m.r. spectrum by systematic application of two-dimensional Fourier transform n.m.r. methods, 389
Protein S4, localization of the binding site on 16 S ribosomal RNA by chemical and enzymatic probing and primer extension, 101
Protein synthesis initiation factor IF3, *Escherichia coli*, controls its own gene expression at the translational level *in vivo*, 767
Proteins, intermediate filament, characterization of dimer subunits, 337
Proteins, thin-filament, interaction with pig platelet tropomyosin, 815
Protoporphyrin IX, Ni(II), as a model for a permanent deoxyheme; properties of chemically modified Ni(II)–Fe(II) hybrid hemoglobins, 331
Pruliere, G., Fuller, S. D., Weeds, A. G., D'Albis, A. & Der Terrossian, E., Pig platelet tropomyosin. Interactions with the other thin-filament proteins, 815
Prunell, A. (see also Zivanovic, Y.), 645
Pseudogenes, arginosuccinate synthetase, human: amplification, 221
Quinlan, R. A., Hatzfeld, M., Franke, W. W., Lustig, A., Schulthess, T. & Engel, J., Characterization of dimer subunits of intermediate filament proteins, 337
Rat: characterization of a member of the highly repeated long interspersed DNA family with long open reading frames, 489
Rat insulin-like growth factor II gene. A single gene with two promoters expressing a multitranscript family, 737
Rather, P. N., Hay, R. E., Ray, G. L., Haldenwang, W. G. & Moran, C. P., Jr, Nucleotide sequences that define promoters that are used by *Bacillus subtilis* sigma-29 RNA polymerase, 557
Ray, G. L. (see also Rather, P. N.), 557
RecA-mediated cleavage reactions, and properties of purified *ind*$^{-}$ proteins; λ repressor inactivation, 39
Recombination, *loxP* site-specific, Cre-mediated, and linking-number changes in the DNA substrate, 17
Recombination, site-specific, by bacteriophage λ, directional control; evidence that a binding site for Int protein far from the crossover point is required for integrative but not excisive recombination, 677
Regulation, autogenous, of IF3 expression *in vivo*, 767
Regulation of IncFII plasmid DNA replication. A quantitative model for control of plasmid NR1 replication in the bacterial cell division cycle, 529
Regulatory light chains of scallop myosin, interhead fluorescence energy transfer between probes attached to translationally equivalent sites, 87
Repeats, *Alu*-like, and primate evolution of the α-globin gene cluster, 693
Repeats: sequence of the short unique region, short repeats, and part of the long repeats of human cytomegalovirus, 177
Repetitive long interspersed rat DNA family member with long open reading frames; characterization, 489
Replication of intact DNA in chromatin by a cell-cycle-dependent DNA polymerase activity, 65
Replication, P1 plasmid; role of initiator titration in copy number control, 275
Replication, plasmid NR1, in the bacterial cell division cycle, a quantitative model for control, 529
Repressor, λ, inactivation: properties of purified *ind*$^{-}$ proteins in the autodigestion and RecA-mediated cleavage reactions, 39
Repressors, lambda, mutant, interaction with operator and non-operator DNA, 27
Residue-specific assignments of resonances in the ^{1}H n.m.r. spectrum of ribosomal protein E-L30 by systematic application of two-dimensional Fourier transform n.m.r. methods, 389
Resistance, tetracycline, and replication functions, identification and analysis of genes in the broad-host-range plasmid pLS1, 753
Resonance assignments as a basis for the determination of a three-dimensional structure of protein E-L30 of *Escherichia coli*, 419
Retinol binding protein, molecular dynamics simulations of the holo and apo forms; structural and dynamical changes induced by retinol removal, 593
Reznikoff, W. S. (see also Krebs, M. P.), 781
Rhodes, D. (see also Fairall, L.), 577
RNA mutants, actions of the anticodon arm in translation on the phenotypes, 235
RNA polymerase, sigma-29, *Bacillus subtilis*; nucleotide sequences that define promoters, 557
RNA 5 S gene, mapping of the sites of protection by the *Xenopus* transcription factor IIIA, 577
RNA, 16 S ribosomal, localization of the binding site for protein S4 by chemical and enzymatic probing and primer extension, 101
Ribosomal particles, large, from a mutant of *Bacillus stearothermophilus*; characterization of single crystals, 161
Ribosomal protein E-L30, residue-specific assignments of resonances in the ^{1}H n.m.r. spectrum by systematic application of two-dimensional Fourier transform n.m.r. methods, 389
Ribosomal 16 S RNA, localization of the binding site for protein S4, by chemical and enzymatic probing and primer extension, 101

Ribosomal subunits, 50 S, negatively stained, of *Escherichia coli*, 291
Ribosomal translocation, pre-steady-state kinetics, 351
Rice, D. W. (see also Thomas, D. H.), 675
Ritchie, D. A. (see also Liebeschetz, J.), 681
Robertson, J. M., Paulsen, H. & Wintermeyer, W., Pre-steady-state kinetics of ribosomal translocation, 351
Rownd, R. H. (see also Womble, D. D.), 529
Rp-d|Gp(S)CpGp(S)CpGp(S)C| crystal structure, 891

S4 protein, binding site localization on 16 S ribosomal RNA by chemical and enzymatic probing and primer extension, 101
Saccone, C. (see also Brown, G. G.), 503
Saito, I. (see also Kuge, S.), 473
Salisbury, S. A. (see also Cruse, W. B. T.), 891
Salmonella typhimurium, identification and sequence analysis of a silent gene (*ush*A°), 163
Sandblom, P. (see also Åqvist, J.), 593
Saper, M. A. (see also Yonath, A.), 161
Satellite bacteriophage P4 late gene cluster, organization and expression, 793
Sawada, I. & Schmid, C. W., Primate evolution of the α-globin gene cluster and its *Alu*-like repeats, 693
Sauer, R. T. (see also Gimble, F. S.), 39
Sauer, R. T. (see also Nelson, H. C. M.), 27
Sbisà, E. (see also Brown, G. G.), 503
Scallop myosin, interhead fluorescence energy transfer between probes attached to translationally equivalent sites on the regulatory light chains, 87
Schibler, U. (see also Shaw, P.), 567
Schmid, C. W. (see also Sawada, I.), 693
Schultheiss, T. (see also Quinlan, R. A.), 337
Secilla, J. P. (see also Carazo, J. M.), 853
Sequence analysis of a silent gene (*ush*A°) in *Salmonella typhimurium*, 163
Sequence data, amino acid, of α-tubulin from myxamoebae of *Physarum polycephalum*, 919
Sequence of mutations induced by ionizing radiation at selectable loci in Chinese hamster ovary cells, 669
Sequence, nucleotide, of the goat embryonic α globin gene (ζ) and linkage and evolutionary analysis of the complete α globin cluster, 457
Sequence, nucleotide, of the *phoR* gene, a regulatory gene for the phosphate regulon of *Escherichia coli*, 549
Sequence of the short unique region, short repeats, and part of the long repeats of human cytomegalovirus, 177
Sequences, autonomously replicating, in yeast, a mutant that affects their function, 805
Sequences, nucleotide, that define promoters that are used by *Bacillus subtilis* sigma-29 RNA polymerase, 557
Sequence-dependent flexure of DNA, principles, 907
Seuqence-specific ^{1}H n.m.r. assignments for the α-amylase polypeptide inhibitor Tendamistat from *Streptomyces tendae*, 869
Sequential resonance assignments as a basis for the determination of a three-dimensional structure of protein E-L30 of *Escherichia coli*, 419
Shaw, P. & Schibler, U., Structure and expression of the parotid secretory protein gene of mouse, 567
Shibayama, N., Morimoto, H. & Kitagawa, T., Properties of chemically modified Ni(II)–Fe(II) hybrid hemoglobins. Ni(II) protoporphyrin IX as a model for a permanent deoxy-heme, 331
Shibayama, N., Morimoto, H. & Miyazaki, G., Oxygen equilibrium study and light absorption spectra of Ni(II)–Fe(II) hybrid hemoglobins, 323
Shimada, K. (see also Nomiyama, H.), 221
Shinagawa, H. (see also Makino, K.), 549
Signal sequence function in bacteria, net N–C charge imbalance may be important, 287
Silent gene (*ush*A°) in *Salmonella typhimurium*, identification and sequence analysis, 163
Singh, U. C. (see also Tilton, R. F., Jr), 443
Singhofer-Wowra, M., Little, M., Clayton, L., Dawson, P. & Gull, K., Amino acid sequence data of α-tubulin from myxamoebae of *Physarum polycephalum*, 919
Sinha, P., Chang, V. & Tye, B.-K., A mutant that affects the function of autonomously replicating sequences in yeast, 805
Smith, W. W. (see also Abdel-Meguid, S. S.), 159
Soares, M. B., Turken, A., Ishii, D., Mills, L., Episkopou, V., Cotter, S., Zeitlin, S. & Efstratiadis, A., Rat insulin-like growth factor II gene. A single gene with two promoters expressing a multitranscript family, 737
Somatotropin, porcine, methionyl; crystallization, 159
Splicing of a yeast proline tRNA containing a novel suppressor mutation in the anticodon stem, 49
Springer, M. (see also Butler, J. S.), 767
Staphylococcus aureus, crystallization of the delta toxins, 675
Staphylococcus aureus small plasmids are tranduced as linear multimers that are formed and resolved by replicative processes, 209
Stern, S., Wilson, R. C. & Noller, H. F., Localization of the binding site for protein S4 on 16 S ribosomal RNA by chemical and enzymatic probing and primer extension, 101
Stewart, M. & Kensler, R. W., Arrangement of myosin heads in relaxed thick filaments from frog skeletal muscle, 831
Streptomyces tendae, complete sequence-specific ^{1}H n.m.r. assignments for the α-amylase polypeptide inhibitor Tendamistat, 869
Structural conservation and variation in the D-loop-containing region of vertebrate mitochondrial DNA, 503
Structural and dynamical changes induced by retinol removal; molecular dynamics simulations of the holo and apo forms of retinol binding protein, 593
Structure, crystal, analyses of reduced (Cu^I) poplar plastocyanin at six pH values, 361
Structure, crystal, of Rp-d|Gp(S)CpGp(S)CpGp(S)C|; chiral phosphorothioate analogues of *B*-DNA, 891
Structure, crystal, of tropomyosin, and muscle regulation, 111
Structure and expression of the parotid secretory protein gene of mouse, 567
Structure and function of the F plasmid genes essential for partitioning, 1
Structure, primary, of poliovirus defective-interfering particle genomes and possible generation mechanisms of the particles, 473
Structure, quaternary, calf lens α-crystallin; a three-layer tetrahedral model, 711
Structure and refinement of DNase I at 2 Å resolution, 605
Structure and sequence of mutations induced by ionizing radiation at selectable loci in Chinese hamster ovary cells, 669
Structure, three-dimensional, of protein E-L30 of *Escherichia coli*, sequential resonance assignments as a basis for determination, 419
Structure, X-ray, and refinement of carbon-monoxy (FeII)-myoglobin at 1·5 Å resolution, 133
Subbarao, M. N. (see also Cannistraro, V. J.), 257
Suck, D. (see also Oefner, C.), 605
Supercoiled DNA, properties in gel electrophoresis; the V-like dependence of mobility on topological constraint; DNA-matrix interactions, 645
Suppressor mutation, novel, in the anticodon stem; splicing of a yeast proline tRNA, 49

T1 (see also Phage), 681
Tao, T. (see also Chantler, P. D.), 87
Tapia, O. (see also Åqvist, J.), 593
Tardieu, A., Laporte, D., Licinio, P., Krop, B. & Delaye, M., Calf lens α-crystallin quaternary structure. A three-layer tetrahedral model, 711
Temperature, effect on the length of the tail of the myosin molecule; electron microscope study, 661
Tendamistat from *Streptomyces tendae*, complete sequence-specific ^{1}H n.m.r. assignments, 869
Tetracycline resistance and replication functions, identification and analysis of genes, in the broad-host-range plasmid pLS1, 753
Thomas, D. H., Rice, D. W. & Fitton, J. E., Crystallization of the delta toxin of *Staphyloccocus aureus*, 675
Thompson, R. C. (see also Yarus, M.), 235

Three-dimensional reconstruction of the connector of bacteriophage $\phi 29$ at 1·8 nm resolution, 853
Three-dimensional structure of protein E-L30 of *Escherichia coli*, sequential resonance assignments as a basis for determination, 419
Tietz, H. R. (see also Hoppe, W.), 291
Tilton, R. F., Jr, Singh, U. C., Weiner, S. J., Connolly, M. L., Kuntz, I. D., Jr, Kollman, P. A., Max, N. & Case, D. A., Computational studies of the interaction of myoglobin and xenon, 443
Transcription factor IIIA, *Xenopus*, and mapping of the sites of protection on a 5 S RNA gene; a model for the interaction, 577
Transcriptional and translational initiation sites of IS*50*; control of transposase and inhibitor expression, 781
Transduction, phage T1-mediated, of a plasmid containing the T1 *pac* site, 681
Transduction of small *Staphyloccus aureus* plasmids, 209
Transfer RNA, proline, yeast, containing a novel suppressor mutation in the anticodon stem; splicing, 49
$tRNA^{Gln}_{CAG}$, yeast, can suppress amber codons and is encoded by an essential gene, 725
Translation on the phenotypes of RNA mutants, actions of the anticodon arm, 235
Translational and transcriptional initiation sites of IS*50*; control of transposase and inhibitor expression, 781
Translocation, ribosomal, pre-steady-state kinetics, 351
Transposase and inhibitor expression, control; transcriptional and translational initiation sites of IS*50*, 781
Trinick, J. (see also Walker, M.), 661
Tropomyosin atomic model, and implications for interactions with actin, 128
Tropomyosin crystal structure and muscle regulation, 111
Tropomyosin, pig platelet; interactions with the other thin-filament proteins, 815
α-Tubulin from myxamoebae of *Physarum polycephalum*; amino acid sequence data, 919
Turken, A. (see also Soares, M. B.), 737
Tye, B.-K. (see also Sinha, P.), 805

*ush*A° silent gene in *Salmonella typhimurium*, identification and sequence analysis, 163

Van De Ven, F. J. M. & Hilbers, C. W., Residue-specific assignments of resonances in the ^1H nuclear magnetic resonance spectrum of ribosomal protein E-L30 by systematic application of two-dimensional Fourier transform nuclear magnetic resonance methods, 389
Van De Ven, F. J. M. & Hilbers, C. W., Sequential resonance assignments as a basis for the determination of a three-dimensional structure of protein E-L30 of *Escherichia coli*, 419
Van Gunsteren, W. F. (see also Åqvist, J.), 593
Vertebrate mitochondrial DNA, structural conservation and variation in the D-loop-containing region, 503
Voiland, B. N. (see also Abdel-Meguid, S. S.), 159
Von Heijne, G., Net N–C charge imbalance may be important for signal sequence function in bacteria, 287

Walker, M. & Trinick, J., Electron microscope study of the effect of temperature on the length of the tail of the myosin molecule, 661
Weeds, A. G. (see also Pruliere, G.), 815
Weiner, S. J. (see also Tilton, R. F., Jr), 443
Weiss, W. A. & Friedberg, E. C., Normal yeast $tRNA^{Gln}_{CAG}$ can suppress amber codons and is encoded by an essential gene, 725
Wernke, S. M. & Lingrel, J. B., Nucleotide sequence of the goat embryonic α globin gene (ζ) and linkage and evolutionary analysis of the complete α globin cluster, 457
Weston, K. & Barrell, B. G., Sequence of the short unique region, short repeats, and part of the long repeats of human cytomegalovirus, 177
Wier, P. (see also Yarus, M.), 235
Wilson, R. C. (see also Stern, S.), 101
Wilz, S. (see also Kuriyan, J.), 133
Winey, M., Mendenhall, M. D., Cummins, C. M. & Culbertson, M. R., Splicing of a yeast proline tRNA containing a novel suppressor mutation in the anticodon stem, 49
Winoto, A., Chung, S., Abraham, J. & Echols, H., Directional control of site-specific recombination by bacteriophage λ. Evidence that a binding site for Int protein far from the crossover point is required for integrative but not excisive recombination, 677
Wintermeyer, W. (see also Robertson, J. M.), 351
Wittmann, H. G. (see also Yonath, A.), 161
Womble, D. D. & Rownd, R. H., Regulation of IncFII plasmid DNA replication. A quantitative model for control of plasmid NR1 replication in the bacterial cell division cycle, 529
Wüthrick, K. (see also Kline, A. D.), 869

Xenon interaction with myoglobin, computational studies, 443
Xenopus transcription factor IIIA, and mapping of the sites of protection on a 5 S RNA gene; a model for the interaction, 577
X-ray structure and refinement of carbon-monoxy (FeII)-myoglobin at 1·5 Å resolution, 133

Yarus, M., Cline, S. W., Wier, P., Breeden, L. & Thompson, R. C., Actions of the anticodon arm in translation on the phenotypes of RNA mutants, 235
Yeast, a mutant that affects the function of autonomously replicating sequences, 805
Yeast proline tRNA containing a novel suppressor mutation in the anticodon stem; splicing, 49
Yeast $tRNA^{Gln}_{CAG}$ can suppress amber codons and is encoded by an essential gene, 725
Yonath, A., Saper, M. A., Frolow, F., Makowski, I. & Wittmann, H. G., Characterization of single crystals of the large ribosomal particles from a mutant of *Bacillus stearothermophilus*, 161

Z and *B*-forms of poly[d(A-br^{5}C)·d(G-T)], ^1H n.m.r. study of the dynamic properties, 633
Zaccai, G., Bunick, G. J. & Eisenberg, H., Denaturation of a halophilic enzyme monitored by small-angle neutron scattering, 155
Zeitlin, S. (see also Soares, M. B.), 737
Zivanovic, Y., Goulet, I. & Prunell, A., Properties of supercoiled DNA in gel electrophoresis. The V-like dependence of mobility on topological constraint. DNA–matrix interactions, 645